


SWS SOLARNI SET ZA TOPLU VODU

BE-SSPK rezervoari i kolektori **Novo**

Funkcionalni dijagram



Komponente



1 FM-S (vertikalni) ili FM-W (horizontalni) model kolektora
Bez montažnog materijala za kolektore

2 BE-SSPK solarni rezervoar

3 BMV 34 mešni ventil

4 Solarna stanica za montažu na zidu sa dvostrukim otvorom na jedinici, ekspanzionim sudom i pratećim setom za povezivanje

Sprema mešavina antifrizna (-25 °C)

Prednosti proizvoda



Model kolektora
FM-S (vertikalni) ili
FM-W (horizontalni)

- Jednostavna instalacija kolektora u različitim oblicima, na krovu, u krovu, paralelna, redna, samostojeća instalacija
- Velika efikasnost
- Veoma jaka i elastična konstrukcija



BE-SSPK H solarni rezervoar

- Emajliran, sa jednim solarnim registrom u donjoj, hladnoj zoni i velikom površinom za razmenu toplote
- Solarni rezervoar sa minimalnim gubicima toplote i brзом instalacijom
- Spoljna strana ofarbana, moguća montaža na zid





Novo

SSR 25 solarna stanica
uključuje solarnu jedinicu i
ekspanzioni sud



- Solarna stanica i kontrolna jedinica pogodne za zidnu montažu
- Atraktivna, kompaktna TiSUN® EPP toplotna izolacija za montažu na zidu i rezervoaru, šira verzija, sa dodatnom izolacijom za sigurnosni deo
- Solarna stanica sa duplim otvorom za kontrolnu jedinicu i VFS senzor za elektronsku kontrolu protoka i balans
- Kontrolna jedinica sa VFS i PWM priključcima za kontrolu solarne pumpe i balansa energije
- SD slot memorijske kartice za prenos podataka na kompjuter
- Odzračno crevo instalirano u solarnoj stanici
- Veoma pouzdan rad sa velikim radnim vekom

Povezivanje

FM-S (vertikalni)




FM-W (horizontalni)



SWS SOLARNI SET ZA TOPLU VODU

BE-SSP rezervoari i kolektori **NEW**

Funkcionalni dijagram



Struktura solarnih setova za toplu vodu sa modelima kolektora (prvi deo)

Set	Veličina (broj osoba)	Kolektori	Rezervoar + izolacija	Solarna stanica	Ekspanzioni sud
SWS 2,5S/ BE 125K	ii do 2 osobe	1 x FM-S 2.55 m ²	BE-SSPK 125H	SSR 25	SAG 18R
SWS 2,5W/ BE 125K	ii do 2 osobe	1 x FM-W 2.55 m ²	BE-SSPK 125H	SSR 25	SAG 18R
SWS 2,5S/ BE 160K	ii do 2 osobe	1 x FM-S 2.55 m ²	BE-SSPK 160H	SSR 25	SAG 18R
SWS 2,5W/ BE 160K	ii do 2 osobe	1 x FM-W 2.55 m ²	BE-SSPK 160H	SSR 25	SAG 18R
SWS 2,5S/ BE 200K	iii do 3 osobe	1 x FM-S 2.55 m ²	BE-SSP 200H	SSR 25	SAG 18R
SWS 2,5W/ BE 200K	iii do 3 osobe	1 x FM-W 2.55 m ²	BE-SSP 200H	SSR 25	SAG 18R



Samostoječa instalacija više povezanih FM modela kolektora

Posebna oprema za dodatnu cenu


Oprema	Br. artikla
Antifriz 24 litra BMV 34 mešni ventil	1320191
Antifriz 24 litra BMV 34 mešni ventil	1320192
Antifriz 24 litra BMV 34 mešni ventil	1320193
Antifriz 24 litra BMV 34 mešni ventil	1320194
Antifriz 24 litra BMV 34 mešni ventil	1320195
Antifriz 24 litra BMV 34 mešni ventil	1320196

Set	Br. artikla
SVS 15/18 Spiralni set cevi	1510339
Dupla cev 15 m dužine DN 15	
	

SWS SOLARNI SET ZA TOPLU VODU

BE-SSP rezervoari i kolektori

Funkcionalni dijagram



Komponente

1 FM-S (vertikalni) ili FM-W (horizontalni) model kolektora
Bez montažnog materijala za kolektore

2 BE-SSP solarni rezervoar, uključuje izolaciju, solarnu stanicu, duplu kontrolnu jedinicu i SAG ekspanzioni sud

3 BMV 34 mešni ventil

Spremna mešavina antifriza (-25 °C)

Komplet za povezivanje sa ekspanzionim sudom



Prednosti proizvoda



Model kolektora
FM-S (vertikalni) ili
FM-W (horizontalni)

- Jednostavna instalacija kolektora u različitim oblicima, na krovu, u krovu, paralelna, redna, samostojeća instalacija
- Velika efikasnost
- Veoma jaka i elastična konstrukcija



BE-SSP solarni rezervoar

- Emajliran, sa jednim razmenjivačem u gornjoj i solarnim u donjoj hladnijoj zoni, i velikom površinom za razmenu toplote
- Solarni rezervoar sa minimalnim gubicima toplote i brzom instalacijom





Novo

SSR 25 solarna stanica
uključuje solarnu jedinicu i
solarni ekspanzioni sud


- Solarna stanica i kontrolna jedinica pogodna za zidnu montažu
- Atraktivna, kompaktna TiSUN® EPP toplotna izolacija za montažu na zidu i rezervoaru, šira verzija, sa dodatnom izolacijom za sigurnosni deo
- Solarna stanica sa duplim otvorom za kontrolnu jedinicu i VFS senzor za elektronsku kontrolu protoka i balans
- Kontrolna jedinica sa VFS i PWM priključcima za kontrolu solarne pumpe i balansa energije
- SD slot memorijske kartice za prenos podataka na kompjuter
- Odzračno crevo instalirano u solarnoj stanici
- Veoma pouzdan rad sa dugim radnim vekom

Povezivanje

FM-S (vertikalni)




FM-W (horizontalni)



SWS SOLARNI SET ZA TOPLU VODU

BE-SSP rezervoari i kolektori

Funkcionalni dijagram



Struktura solarnih setova za toplu vodu sa modelima kolektora (drugi deo)

Set	Veličina (broj osoba)	Kolektori	Rezervoar + izolacija	Solarna stanica	Ekspanzioni sud
SWS 2,5S/BE 200	☺☺☺ do 3 osobe	1 x FM-S 2.55 m ²	BE-SSP 200	SSR 25	SAG 18R
SWS 2,5W/BE 200	☺☺☺ do 3 osobe	1 x FM-W 2.55 m ²	BE-SSP 200	SSR 25	SAG 18R
SWS 5S/BE 300	☺☺☺☺ do 4 osobe	2 x FM-S 5.1 m ²	BE-SSP 300	SSR 25	SAG 25R
SWS 5W/BE 300	☺☺☺☺ do 4 osobe	2 x FM-W 5.1 m ²	BE-SSP 300	SSR 25	SAG 25R
SWS 5S/BE 400	☺☺☺☺ do 4 osobe	2 x FM-S 5.1 m ²	BE-SSP 400	SSR 25	SAG 25R
SWS 5W/BE 400	☺☺☺☺ do 4 osobe	2 x FM-W 5.1 m ²	BE-SSP 400	SSR 25	SAG 25R
SWS 7,5S/BE 400	☺☺☺☺☺ do 5 osoba	3 x FM-S 7.65 m ²	BE-SSP 400	SSR 25	SAG 25R
SWS 7,5W/BE 400	☺☺☺☺☺ do 5 osoba	3 x FM-W 7.65 m ²	BE-SSP 400	SSR 25	SAG 25R
SWS 7,5S/BE 500	☺☺☺☺☺ do 5 osoba	3 x FM-S 7.65 m ²	BE-SSP 500	SSR 25	SAG 25R
SWS 7,5W/BE 500	☺☺☺☺☺ do 5 osoba	3 x FM-W 7.65 m ²	BE-SSP 500	SSR 25	SAG 25R

Posebna oprema za dodatnu cenu

























Set	Br. artikla
SVS 15/18 Spiralni set cevi	
Dupla cev 15 m dužina cevi DN 15	
	

Oprema	Br. artikla
Antifriz 24 litra BMV 34 mešni ventil	1320139
Antifriz 24 litra BMV 34 mešni ventil	1320140
Antifriz 24 litra BMV 34 mešni ventil	1320141
Antifriz 24 litra BMV 34 mešni ventil	1320142
Antifriz 24 litra BMV 34 mešni ventil	1320143
Antifriz 24 litra BMV 34 mešni ventil	1320144
Antifriz 48 litara BMV 34 mešni ventil	1320145
Antifriz 48 litara BMV 34 mešni ventil	1320146
Antifriz 48 litara BMV 34 mešni ventil	1320147
Antifriz 48 litara BMV 34 mešni ventil	1320148

SWS SOLARNI SET ZA TOPLU VODU



BE-SSP rezervoari i kolektori

Struktura solarnih setova za toplu vodu sa modelima kolektora (treći deo)

Set	Veličina (broj osoba)	Kolektori	Rezervoar + izolacija	Solarna stanica	Ekspanzioni sud
SWS 10S/BE 500	 do 7 osoba	4 x FM-S 10.2 m ² 	BE-SSP 500	SSR 25	SAG 33R
SWS 10W/BE 500	 do 7 osoba	4 x FM-W 10.2 m ² 	BE-SSP 500	SSR 25	SAG 33R
SWS 10S/BE 650	 do 7 osoba	4 x FM-S 10.2 m ² 	BE-SSP 650	SSR 25	SAG 33R
SWS 10W/BE 650	 do 7 osoba	4 x FM-W 10.2 m ² 	BE-SSP 650	SSR 25	SAG 33R
SWS 10S/BE 800	 do 8 osoba	4 x FM-S 10.2 m ² 	BE-SSP 800	SSR 25	SAG 33R
SWS 10W/BE 800	 do 8 osoba	4 x FM-W 10.2 m ² 	BE-SSP 800	SSR 25	SAG 33R
SWS 12,5S/BE 800	 do 10 osoba	5 x FM-S 12.75 m ² 	BE-SSP 800	SSR 25	SAG 33R
SWS 12,5W/BE 800	 do 10 osoba	5 x FM-W 12.75 m ² 	BE-SSP 800	SSR 25	SAG 33R
SWS 12,5S/BE 1000	 do 14 osoba	5 x FM-S 12.75 m ² 	BE-SSP 1000	SSR 25	SAG 33R
SWS 12,5W/BE 1000	 do 14 osoba	5 x FM-W 12.75 m ² 	BE-SSP 1000	SSR 25	SAG 33R
SWS 15S/BE 1000	 do 14 osoba	6 x FM-S 15.3 m ² 	BE-SSP 1000	SSR 25	SAG 50R
SWS 15W/BE 1000	 do 14 osoba	6 x FM-W 15.3 m ² 	BE-SSP 1000	SSR 25	SAG 50R

Posebna oprema za dodatnu cenu


Oprema	Br. artikla
Antifriz 48 litara BMV 34 mešni ventil	1320149
Antifriz 48 litara BMV 34 mešni ventil	1320150
Antifriz 48 litara BMV 34 mešni ventil	1320151
Antifriz 48 litara BMV 34 mešni ventil	1320152
Antifriz 48 litara BMV 34 mešni ventil	1320153
Antifriz 48 litara BMV 34 mešni ventil	1320154
Antifriz 48 litara BMV 34 mešni ventil	1320155
Antifriz 48 litara BMV 34 mešni ventil	1320156
Antifriz 48 litara BMV 34 mešni ventil	1320157
Antifriz 48 litara BMV 34 mešni ventil	1320158
Antifriz 48 litara BMV 34 mešni ventil	1320159
Antifriz 48 litara BMV 34 mešni ventil	1320160

Set	Br. artikla
SVS 15/18 Spiralni set cevi Dupla cev 15 m dužina cevi DN 15 	1510339
SVS 20/18 Spiralni set cevi Dupla cev 20 m dužina cevi DN 20 	1510340

















SWS SOLARNI SET ZA TOPLU VODU

BE-SSP rezervoari i kolektori **Novo** Veličine za južnije zemlje!

Funkcionalni dijagram



Struktura solarnih setova za toplu vodu sa modelima kolektora (četvrti deo)

Set	Veličina (južnije zemlje)	Kolektori	Rezervoar + izolacija	Solarna stanica	Ekspanzioni sud
SWS 5S/BE 500	 do 7 osoba	2 x FM-S 5.1 m ² 	BE-SSP 500	SSR 25	SAG 25R
SWS 5W/BE 500	 do 7 osoba	2 x FM-W 5.1 m ² 	BE-SSP 500	SSR 25	SAG 25R
SWS 5S/BE 650	 do 7 osoba	2 x FM-S 5.1 m ² 	BE-SSP 650	SSR 25	SAG 25R
SWS 5W/BE 650	 do 7 osoba	2 x FM-W 5.1 m ² 	BE-SSP 650	SSR 25	SAG 25R
SWS 7,5S/BE 800	 do 8 osoba	3 x FM-S 7.65 m ² 	BE-SSP 800	SSR 25	SAG 25R
SWS 7,5W/BE 800	 do 8 osoba	3 x FM-W 7.65 m ² 	BE-SSP 800	SSR 25	SAG 25R
SWS 10S/BE 1000	 do 14 osoba	4 x FM-S 10.2 m ² 	BE-SSP 1000	SSR 25	SAG 33R
SWS 10W/BE 1000	 do 14 osoba	4 x FM-W 10.2 m ² 	BE-SSP 1000	SSR 25	SAG 33R

Posebna oprema za dodatnu cenu

Oprema	Br. artikla
Antifriz 24 litra BMV 34 mešni ventil	1320197
Antifriz 24 litra BMV 34 mešni ventil	1320198
Antifriz 24 litra BMV 34 mešni ventil	1320199
Antifriz 24 litra BMV 34 mešni ventil	1320200
Antifriz 48 litara BMV 34 mešni ventil	1320201
Antifriz 48 litara BMV 34 mešni ventil	1320202
Antifriz 48 litara BMV 34 mešni ventil	1320203
Antifriz 48 litara BMV 34 mešni ventil	1320204

Set	Br. artikla
<p>SVS 15/18 Spiralni set cevi</p> <p>Dupla cev 15 m dužina cevi DN 15</p> 	1510339